


Apollo Products Mfg., LLC

## PSA Series Adjustable Pipe Supports

August 15, 2003

### How to Order Example

10,000 lb pipe support for 8" pipe, standard head,  
22" to 28" adjustable height from grade to bottom of pipe.



Standard Range is 22" to 28" (Grade to Bottom of Pipe)



### Materials of Construction

- Column: 3" Square Tube
- 4K Baseplate: 6" x 6" x 1/2" C.S. Plate
- 10K Baseplate: 10" x 10" x 3/4" C.S. Plate
- 4K Jackscrew: 7/8" Zinc Plated C.S.
- 10K Jackscrew: 1-1/2" Zinc Plated C.S.
- Jackscrew Nuts: Zinc Plated C.S.
- Standard Paint: SSPC-SP-2 with Shop Primer


All Stainless Steel Construction and Other  
Options Available on Request.

### Standard Adjustable Ranges

- 2" Range, 13" Absolute Min. B.O.P.
- 4" Range, 15" Absolute Min. B.O.P.
- 6" Range, 19" Absolute Min. B.O.P.
- 8" Range, 21" Absolute Min. B.O.P.

Custom Designs Available on Request

Ask an **Authorized Apollo Sales Rep** for Details



### Topworks Styles

4K Dimensions

10K Dimensions



## Apollo Products Mfg., LLC

P.O. Box 2050 Broken Arrow, OK 74013  
tel: (918)251-6780 fax: (918)251-5986

How to Order  
Apollo Pipe Support, Item No.


0810-PSA-01-2228

- Nominal Pipe Size — 28" Max. Height
- Max. Load Capacity — 22" Min. Height
  - 04 = 4,000 lbs
  - 10 = 10,000 lbs
- PSA Series Pipe Support — Head Style
  - 01 = Std Open Shoe
  - 02 = Clamp Head
  - 03 = U-Bolt Head



TYPICAL ELEVATION

BASEPLATE: 6" SQ. x 1/2" THK.  
HOLES: 3/4" DIA. x 4-1/4" SQ.



BASEPLATE: 6" SQ. x 1/2" THK.

APPROX. WT: 35 LBS

APOLLO PRODUCTS MGF.,LLC  
BROKEN ARROW, OKLAHOMA



OUTLINE DRAWING  
PSA SERIES 4000# PIPE SUPPORTS

DWG No.	DRAWN BY: DATE:	APP'D BY: DATE:	REVISION No. DATE:
FILE: PSA-OL-01.DWG	JOB No.		


# How to Order Apollo Pipe Support, Item No.

0810-PSA-01-2228

- Nominal Pipe Size | 28" Max. Height
- Max. Load Capacity | 22" Min. Height
  - 04 = 4,000 lbs
  - 10 = 10,000 lbs
- PSA Series Pipe Support | Head Style
  - 01 = Std Open Shoe
  - 02 = Clamp Head
  - 03 = U-Bolt Head



BASEPLATE: 10" SQ. x 3/4" THK.  
HOLES: 3/4" DIA. x 7" SQ.



BASEPLATE: 10" SQ. x 3/4" THK.

TYPICAL ELEVATION

APPROX. WT: 60 LBS

<h2 style="margin: 0;">APOLLO PRODUCTS MFG.,LLC</h2> <h3 style="margin: 0;">BROKEN ARROW, OKLAHOMA</h3>			
OUTLINE DRAWING PSA SERIES 10,000# PIPE SUPPORTS			
DWG No.	DRAWN BY: DATE:	APP'D BY: DATE:	REVISION No. DATE:
FILE: PSA-OL-01.DWG	JOB No.		